

| | | |
|---|---|-----|
| A REVISED CALIBRATION OF THE M_V - $W(O\ I\ 7774)$ RELATIONSHIP USING HIPPARCOS DATA: ITS APPLICATION TO CEPHEIDS AND EVOLVED STARS | <i>A. Arellano Ferro, S. Giridhar, & E. Rojo Arellano</i> | 3 |
| OPTICAL LINE PROFILE VARIABILITY OF THE B1+NEUTRON STAR BINARY SYSTEM LSI+65 010 (2S 0114+650) | <i>G. Koenigsberger, G. Canalizo, A. Arrieta, M. G. Richer, & L. Georgiev</i> | 17 |
| THE OPTICAL AND NEAR-INFRARED COUNTERPART OF IRAS 18476+2054 | <i>S. Kimeswenger, C. Lederle, B. Armsdorfer, & J. Pritchard</i> | 35 |
| CCD PHOTOMETRY OF THE OPEN CLUSTERS NGC 2658, NGC 2849, AND NGC 3247 | <i>J. A. Ahumada</i> | 41 |
| RELATION BETWEEN SOURCE AND TEMPERATURE FLUCTUATIONS IN PHOTOIONIZED NEBULAE | <i>L. Binette, P. Ferruit, W. Steffen, & A. C. Raga</i> | 55 |
| PHOTOMETRY OF FOURTEEN MAIN BELT ASTEROIDS | <i>R. Gil-Hutton & M. Cañada</i> | 69 |
| H ₂ VELOCITY STRUCTURE IN HH211 | <i>L. Salas, I. Cruz-González, & M. Rosado</i> | 77 |
| LYNGÅ 1, A SMALL OPEN CLUSTER CONTAINING A RED-SUPERGIANT MEMBER | <i>R. A. Vázquez, E. E. Giorgi, M. A. Brusasco, G. Baume, & G. R. Solivella</i> | 89 |
| VLA DETECTION OF A DOUBLE RADIO SOURCE AT THE CENTER OF THE HH288 QUADRUPOLEAR OUTFLOW | <i>R. Franco-Hernández & L. F. Rodríguez</i> | 107 |
| GALAXY FORMATION SIMULATIONS WITH SCALAR FIELD DARK MATTER | <i>T. Matos & G. Torres</i> | 113 |
| ADDITIONAL ATMOSPHERIC OPACITY MEASUREMENTS AT MILLIME- TER WAVELENGTHS FROM SAN PEDRO MÁRTIR SIERRA IN BAJA CALIFORNIA | <i>D. Hiriart</i> | 119 |
| THE RADIAL VELOCITY PROFILES OF SOME PROPLYDS IN THE ORION NEBULA | <i>E. de la Fuente, M. Rosado, L. Arias, & P. Ambrocio-Cruz</i> | 127 |